

Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims.

Listing of Claims:

1-24. (Canceled).

25. (New) A polypeptide comprising a first amino acid sequence at least 95% identical to a second amino acid sequence selected from the group consisting of:

- (a) a second polypeptide comprising amino acids 1 to 327 of SEQ ID NO:60;
- (b) a second polypeptide comprising amino acids 24 to 327 of SEQ ID NO:60;
- (c) a second polypeptide comprising amino acids 1 to 245 of SEQ ID NO:83;
- (d) a second polypeptide comprising amino acids 24 to 245 of SEQ ID NO:83
- (e) a second polypeptide comprising the full-length HCNDA61 polypeptide encoded by the HCNDA61 cDNA in ATCC Deposit No. 203181; and,
- (f) a second polypeptide comprising the mature form of the HCNDA61 polypeptide encoded by the HCNDA61 cDNA in ATCC Deposit No. 203181.

26. (New) The isolated polypeptide of claim 25, wherein said polypeptide is (a).

27. (New) The isolated polypeptide of claim 25, wherein said polypeptide is (b).

28. (New) The isolated polypeptide of claim 25, wherein said polypeptide is (c).

29. (New) The isolated polypeptide of claim 25, wherein said polypeptide is (d).

30. (New) The isolated polypeptide of claim 25, wherein said polypeptide is (e).

31. (New) The isolated polypeptide of claim 25, wherein said polypeptide is (f).

32. (New) The isolated polypeptide of claim 25, wherein said polypeptide is glycosylated.

33. (New) An isolated polypeptide comprising at least 30 contiguous amino acid residues of the polypeptide of claim 25.
34. (New) An isolated polypeptide comprising at least 50 contiguous amino acid residues of the polypeptide of claim 25.
35. (New) The isolated polypeptide of claim 25, wherein said polypeptide is fused to a heterologous polypeptide
36. (New) An isolated polypeptide produced by a method comprising:  
(a) expressing the polypeptide of claim 25 by a cell; and  
(b) recovering said polypeptide.
37. (New) A polypeptide comprising an amino acid sequence selected from the group consisting of:  
(a) a polypeptide comprising amino acids 1 to 327 of SEQ ID NO:60;  
(b) a polypeptide comprising amino acids 24 to 327 of SEQ ID NO:60;  
(c) a polypeptide comprising amino acids 1 to 245 of SEQ ID NO:83;  
(d) a polypeptide comprising amino acids 24 to 245 of SEQ ID NO:83  
(e) a polypeptide comprising the full-length HCND A61 polypeptide encoded by the HCND A61 cDNA in ATCC Deposit No. 203181;  
(f) a polypeptide comprising the mature form of the HCND A61 polypeptide encoded by the HCND A61 cDNA in ATCC Deposit No. 203181.
38. (New) The isolated polypeptide of claim 37, wherein said polypeptide is (a).
39. (New) The isolated polypeptide of claim 37, wherein said polypeptide is (b).
40. (New) The isolated polypeptide of claim 37, wherein said polypeptide is (c).
41. (New) The isolated polypeptide of claim 37, wherein said polypeptide is (d).

# BEST AVAILABLE COPY

Jul-06-05 08:34pm From:HGS INTELLECTUAL PROPERTY DEPT

3013098438

T-572 P.05/15 F-570

42. (New) The isolated polypeptide of claim 37, wherein said polypeptide is (e).
43. (New) The isolated polypeptide of claim 37, wherein said polypeptide is (f).
44. (New) The isolated polypeptide of claim 37, wherein said polypeptide is glycosylated.
45. (New) An isolated polypeptide comprising at least 30 contiguous amino acid residues of the polypeptide of claim 37.
46. (New) An isolated polypeptide comprising at least 50 contiguous amino acid residues of the polypeptide of claim 37.
47. (New) The isolated polypeptide of claim 37, wherein said polypeptide is fused to a heterologous polypeptide
48. (New) An isolated polypeptide produced by a method comprising:
  - (a) expressing the polypeptide of claim 37 by a cell; and
  - (b) recovering said polypeptide.